

Huws Gray Buildbase Harlow
Cambridge Rd
Harlow
CM20 2ER

2477006
Phone: 01279 624700

User Ref: NL

Date and Time, Zone and Restore Time

Event ,Actions Taken, Completion Time and Operator

18/11/2025 05:06:30	11	11/18 05:06	Intruder Alarm	18/11/2025 05:11:12
----------------------------	-----------	--------------------	-----------------------	----------------------------

Actions Legend: P = Police, K = Keyholder Group, S = Site, A = Special Action, F = Fire, G = Gen Agency, I = Installer, M = Medical

18/11/2025 05:06:30	Intruder Alarm (GPRS) A:1 Z:11 Burglary Alarm Full Set W/House3 Rear DT	
18/11/2025 05:08:48	C:1 Front Gate	
18/11/2025 05:08:50	C:2 Front Hire Gate	
18/11/2025 05:08:52	C:3 Hire Compound	
18/11/2025 05:08:53	C:4 Rear Passage	
18/11/2025 05:08:55	C:5 Camera 5	
18/11/2025 05:08:56	C:6 Camera 6	
18/11/2025 05:09:00	C:7 Camera 7	
18/11/2025 05:09:03	C:8 Camera 8	
18/11/2025 05:09:06	C:9 Camera 9	
18/11/2025 05:09:08	C:10 Camera 10	
18/11/2025 05:09:11	C:11 Camera 11	
18/11/2025 05:09:14	C:12 Camera 12	
18/11/2025 05:09:16	C:13 Camera 13	
18/11/2025 05:09:19	C:14 Camera 14	
18/11/2025 05:09:22	C:15 Camera 15	
18/11/2025 05:09:28	C:16 Camera 16	
18/11/2025 05:09:31	C:17 Camera 17	
18/11/2025 05:09:33	C:18 Camera 18	
18/11/2025 05:09:34	C:19 Camera 19	
18/11/2025 05:09:36	C:20 Camera 20	
18/11/2025 05:09:43	C:21 Camera 21	
18/11/2025 05:09:46	C:22 Camera 22	
18/11/2025 05:09:50	C:23 Camera 23	
18/11/2025 05:09:53	C:24 Camera 24	
18/11/2025 05:09:59	C:25 Camera 25	
18/11/2025 05:10:05	C:26 Camera 26	
18/11/2025 05:10:06	C:28 Camera 28	
18/11/2025 05:10:21	C:27 Camera 27	
18/11/2025 05:10:23	C:28 Camera 28	
18/11/2025 05:10:26	C:29 Camera 29	
18/11/2025 05:10:29	C:30 Camera 30	
18/11/2025 05:10:31	Released alarm	JJ
18/11/2025 05:10:32	C:31 Camera 31	
18/11/2025 05:11:02	L:1 Live audio sent	
18/11/2025 05:11:12	No Actions required log only	WH
18/11/2025 05:11:12	Resolution code (Opr) - Unknown	WH
18/11/2025 05:11:12	Operator closed (Opr)	WH

Cause of above Intruder Alarm: Unassigend Cause